
Topic A				
Lesson 1: Opposite Quantities Combine to Make Zero				
Lesson 2: Using the Number Line to Model the Addition of Integers				
Lesson 3: Understanding Addition of Integers				
Lesson 4: Efficiently Adding Integers and Other Rational Numbers				
Lesson 5: Understanding Subtraction of Integers and Other Rational Numbers				
Lesson 6: The Distance Between Two Rational Numbers				
Lesson 7: Addition and Subtraction of Rational Numbers				
Lesson 8: Applying the Properties of Operations to Add and Subtract Rational Numbers				
Lesson 9: Applying the Properties of Operations to Add and Subtract Rational Numbers				



Торіс В	
Lesson 10: Understanding Multiplication of Integers	
Lesson 11: Develop Rules for Multiplying Signed Numbers	
Lesson 12: Division of Integers	
Lesson 13: Converting Between	
Fractions and Decimals Using	
Equivalent Fractions	
Lesson 14: Converting Rational	
Numbers to Decimals Using Long	
Division	
Lesson 15: Multiplication and	
Division of Rational Numbers	
Lesson 16: Applying Properties of	
Operations to Multiply and Divide Rational Numbers	

Topic C	
Lesson 17: Comparing Tape	
Diagram Solutions to Algebraic	
Solutions	
Lesson 18: Writing, Evaluating, &	
Finding Equivalent Expressions	
with Rational Numbers	
Lesson 19: Writing, Evaluating, &	
Finding Equivalent Expressions	
with Rational Numbers	
Lesson 20: Investments—	
Performing Operations with	
Rational Numbers	
Lesson 21: If-Then Moves with	
Integer Number Cards	
Lesson 22: Solving Equations	
Using Algebra	
Lesson 23: Solving Equations	
Using Algebra	

Integer Game

How to Play

The Integer Game is designed for 2 to 4 players. Students play the game with a learning partner or with a cooperative learning group of students. Each player begins the game with a score of zero. The object of the game is to return to a score of zero by picking up and discarding integer cards. The number of cards dealt to each player can be adjusted based on students' familiarity with an operation and to differentiate for varying student ability levels. Below are the basic rules:

1. A student serves as the dealer (as well as a player) and provides each player with four cards.

2. The dealer turns one more card face up on the playing surface, starting a discard pile. The remaining cards become a draw pile.

3. The player to the dealer's left begins play. On his or her turn, a player may select the top card from either the draw pile or the discard pile. The player must keep this card and discard another card from their hand to the discard pile.

4. A player's goal is to have their hand's total card value stay as close to zero as possible. So for each turn, a player must determine how the card drawn affects their hand's total card value, by counting up or down accordingly. Also, a player must decide which card to discard, so as to keep the total value of their hand as close to zero as possible.

5. Play continues with the next player, in the same manner, until all players have picked up and discarded a card four times.

6. The player(s) with a score of zero (or the closest to zero, as in Lesson 2) wins the round.

The Integer Cards	2	3	4
5	6	7	8
9	10	11	12
	0	0	

Eureka Math Module 2: Rational Numbers

-1	-2	-3	-4
-5	-6	-7	-8
-9	-10	-11	-12


Eureka Math Module 2: Rational Numbers

Lesson 1 - Opposite Quantities Combine to Make Zero

Essential Questions:

Exercise 1: Positive and Negative Numbers Review

With your partner, use the graphic organizer below to record what you know about positive and negative numbers. Add or remove statements during the whole class discussion.




Example 2: Counting Up and Counting Down on the Number Line


Use the number line below to practice counting up and counting down.

Where do you begin when locating a number on the number line?	
What do you call the distance between a number and 0 on a number line?	
What is the relationship between 7 and –7?	

Example 3: Using the Integer Game and the Number Line

What is the sum of the card values shown? Use the counting on method on the provided number line to justify your answer.





What is the final position on the number line?	
What card or combination of cards would you need to get back to 0?	

Exercise 2: The Additive Inverse

Use the number line to answer each of the following questions.

< <u> </u> -10 -9 -8 -7 -6	-5 -4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10	→
How far is 7 from 0 and in which direction?																_
What is the opposite of 7?																_
How far is -7 from 0 and in which direction?																
Thinking back to our previous work, how would you use the counting on method to represent the following: While playing the Integer Game, the first card selected is 7, and the second card selected is -7 .																
What does this tell us about the sum of 7 and its opposite, -7 ?																
Look at the curved arrows you drew for 7 and -7. What relationship exists between these two arrows that would support your claim about the sum of 7 and -7?																
Do you think this will hold true for the sum of any number and its opposite?																_
What is additive inverse?																

How could the value of -10 be used in a story problem?	
Write a story problem using football to represent the expression 4 + (-4)	
Write a story problem using money to represent the expression 200 + (-200)	

Example 4 : Modeling with Real-World Examples

Summary



Lesson 1 - Independent Practice

For Problems 1 and 2, refer to the Integer Game.

- 1. You have two cards with a sum of (-12) in your hand.
 - a. What two cards could you have?
 - b. You add two more cards to your hand, but the total sum of the cards remains the same, (-12). Give some different examples of two cards you could choose.
- 2. Choose one card value and its additive inverse; for each of the following write a real-world story problem that would model their sum.


Elevation: above and below sea level

Money: credits and debits, deposits and withdrawals


Temperature: above and below 0 degrees

Football: loss and gain of yards

3. On the number line below, the numbers h and k are the same distance from 0. Write an equation to express the value of h + k. Explain.



- 4. During a football game, Kevin gained five yards on the first play. Then he lost seven yards on the second play. How many yards does Kevin need on the next play to get the team back to where they were when they started? Show your work.
- 5. Write an addition number sentence that corresponds to the arrows below.



Lesson 2 - Using the Number Line to Model the Addition of Integers

Essential Questions:

Exercise 1: Real-World Introduction to Integer Addition Suppose you received \$10 from your grandmother for your birthday. You spent \$4 on snacks. Using addition, how would you write a number sentence to represent this situation? How would you model your equation on a number line to show your answer? -2 -1 0 1 2 3 4 5 6 7 8 9 10 -10 -9 -8 -7 -6

*	-10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7 8 9 10							
	a. Place the tail of the arrow on							
Complete the steps to finding	b. Draw the arrow 2 units to the left of 0, and stop at The direction of the arrow is to the since you are counting down from 0.							
the sum of $-2 + 3$ by filling in the blanks. Model the number	c. Start the next arrow at the end of the first arrow, or at							
sentence using straight arrows called <i>vectors</i> on the number line.	d. Draw the second arrow units to the right since you are counting up from -2 .							
	e. Stop at							
	f. Circle the number at which the second arrow ends to indicate the ending value.							
Repeat the process from								
parts (a)-(f) for the expression $3 + (-2)$.								
What can you say about the sum of $-2 + 3$ and $3 + (-2)$? Does order matter when adding numbers? Why or why not?								
Write your own story problem for -2 + 3								

Example 1: Modeling Addition on the Number Line


How does the absolute value determine the arrow length for -2?	← + + + + + + + + + + + + + + + + +
How does the absolute value determine the arrow length for 3?	← + + + + + + + + + + + + + + + + +
How does absolute value help you to represent —10 on a number line?	

Exercise 2

Create a number line model to represent each of the expressions below.

-6 + 4	
	-10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7 8 9 10
3 + (-8)	

Example 3: Finding Sums on a Real Number Line Model




Write an equation to express the sum.	
What three cards are represented in this model? How did you know?	
In what ways does this model differ from the ones we used in Lesson 1?	
Can you make a connection between the sum of 6 and where the third arrow ends on the number line?	

Would the sum change if we changed the order in which we add the numbers, for example, $(-2) + 3 + 5$?	
Would the diagram change? If so, how?	


Lesson 2 - Independent Practice

For questions 1-3, represent each of the following problems using both a number line diagram and an equation.


1. David and Victoria are playing the Integer Card Game. David drew three cards, -6, 12, and -4. What is the sum of the cards in his hand? Model your answer on the number line below.



- 2. In the Integer Card Game, you drew the cards, 2, 8, and -11. Your partner gave you a 7 from his hand.
 - a. What is your total? Model your answer on the number line below.




- b. What card(s) would you need to get your score back to zero? Explain. Use and explain the term "additive inverse" in your answer.
- 3. If a football player gains 40 yards on a play, but on the next play, he loses 10 yards, what would his total yards be for the game if he ran for another 60 yards? Use the number line below. What did you count by to label the units on your number line?




- 4. Find the sums.
 - a. -2 + 9
 - b. -8 + -8
 - c. -4 + (-6) + 10
 - d. 5 + 7+ (-11)


5. Mark an integer between 1 and 5 on a number line, and label it point Z. Then, locate and label each of the following points by finding the sums.



- d. Point D: -3 + Z + 1
- 6. Write a story problem that would model the sum of the arrows in the number diagram below.




7. Do the arrows correctly represent the equation 4 + (-7) + 5 = 2? If not, draw a correct model below.





Essential Questions:




Counting up -4 is the same as "the opposite of counting up 4" and also means counting down 4.

For each example above, what is the distance between 2 and the sum?

Does the sum lie to the right or left of 2 on a horizontal number line? Above or below on a vertical number line?	
Given the expression 54 + 81, determine, without finding the sum, the distance between 54 and the sum. Explain.	
Is the sum to the right or left of 54 on the horizontal number line? Above or below on a vertical number line?	
Given the expression $14 + (-3)$, determine, without finding the sum, the distance between 14 and the sum? Why?	
Is the sum to the right or left of 14 on the number line? Above or below on a vertical number line?	

Exercise 2

Work with a partner to create a horizontal number line model to represent each of the following expressions. Circle the sum on the number line.



Exercise 3: Writing an Equation Using Verbal Descriptions

The sum of 6 and a number is 15 units to the left of 6 on the number line.

Using the number line, create an "arrow diagram"	÷	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10	→
Write an equation																							

Summary

5



Lesson 3 - Independent Practice

Below is a table showing the change in temperature from morning to afternoon for one week.
 a. Use the vertical number line to help you complete the table. As an example, the first

а.	Use the vertical	number	line to	help you	complete	the table.	As an example,	, the first
	row is completed	d for you						

Morning Temperature	Change	Afternoon Temperature	Number Sentence
1°C	Rise of 3°C	4°C	1 + 3 = 4
2°C	Rise of 8°C		
-2°C	Fall of 6°C		
-4°C	Rise of 7°C		
6°C	Fall of 9°C		
-5°C	Fall of 5°C		
7°C	Fall of 7°C		

Change i	n	Temperatures	from	Morning	to	Afternoon
----------	---	--------------	------	---------	----	-----------

b. Do you agree or disagree with the statement: "A rise of -7°C" means "a fall of 7°C"?
 Explain. (Note: No one would ever say, "A rise of -7 degrees;" however, mathematically speaking, it is an equivalent phrase.)


For Questions 2-3, refer to the Integer Game.

- 2. Terry selected two cards. The sum of her cards is -10.
 - a. Can both cards be positive? Explain why or why not.
 - b. Can one of the cards be positive and the other be negative? Explain why or why not.
 - c. Can both cards be negative? Explain why or why not.

- 3. When playing the Integer Game, the first two cards you selected were -8 and -10.
 - a. What is the value of your hand? Write an equation to justify your answer.
 - b. For part (a), what is the distance of the sum from -8? Does the sum lie to the right or left of -8 on the number line?
 - c. If you discarded the -10 and then selected a 10, what would be the value of your hand? Write an equation to justify your answer.
- 4. Given the expression 67 + (-35), can you determine, without finding the sum, the distance between 67 and the sum? Is the sum to the right or left of 67 on the number line?

5. Use the information given below to write an equation. Then create an "arrow diagram" of this equation on the number line provided below.

The sum of -4 and a number is 12 units to the right of -4 on a number line



Lesson 4 – Efficiently Adding Integers and Other Rational Numbers

Essential Questions:

Example 1: Rule for Adding Integers with Same Signs

Represent the sum of 3 + 5 using arrows on the number line.

1			_			_						1											×
· ·																							-
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	4 (56	37	7 8	в	9	10	

How long is the arrow that represents 3?	
What direction does it point?	
How long is the arrow that represents 5?	
What direction does it point?	
What is the sum?	
If you were to represent the sum using an arrow, how long would the arrow be and what direction would it point?	
What is the relationship between the arrow representing the number on the number line and the absolute value of the number?	
Do you think that adding two positive numbers will always give you a greater positive number? Why?	

Represent the sum of -3 + (-5) using arrows that represent -3 and -5 on the number line.

←	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10	→
How long is the arrow that represents -3 ?															
What direction does it point?															
How long is the arrow that represents -5 ?															
What direction does it point?															
What is the sum?															
If you were to represent the sum using an arrow, how long would the arrow be and what direction would it point?															
Do you think that adding two negative numbers will always give you a smaller negative number? Why?															
What do both examples have in common?															
Rule: Add rational numbers with the same sign by															

Exercise 2

b.

a. Decide whether the sum will be positive or negative without actually calculating the sum.

i4 + (-2)	_		
ii. 5 + 9	-		
iii. −6 + (−3)	_		
iv1 + (-11)	_		
v . 3 + 5 + 7	_		
vi20 + (-15)	-		
Find the sum.			
15 + 7	-4 + (-16)	-18 + (-64)	-205 + (-123)

Example 2: Rule for Adding Opposite Signs

Represent the 5 + (-3) using arrows on the number line.

	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10	→
How long is the arrow that represents 5?															
What direction does it point?															
How long is the arrow that represents -3 ?															
What direction does it point?															
Which arrow is longer?															
What is the sum? If you were to represent the sum using an arrow, how long would the arrow be and what direction would it point?															

Represent the 4 + (-7) using arrows on the number line.

	-4 -3	-2 -1	0	1 2	3 4	5	6	7	8	9	10
In the two examples above, what is the relationship between length of the arrow representing the sum and the lengths of the arrows representing the two addends?											
What is the relationship between the direction of the arrow representing the sum and the direction of arrows representing two addends?											

Write a rule that will give the length and direction of the arrow representing the sum of two values that have opposite signs.	
Rule:	
Add rational numbers with opposite signs by	

Exercise 3

b.

a. Circle the integer with the greater absolute value. Decide whether the sum will be positive or negative without actually calculating the sum.

i1 + 2		<u></u>	
ii. 5 + (-9)			
iii. −6 + 3			
iv. −11 + 1			
Find the sum.			
-10 + 7	8 + (-16)	-12 + (65)	105 + (-126)

Example 3: Applying Integer Addition Rules to Rational Numbers

Find the sum of $6 + \left(-2\frac{1}{4}\right)$. The addition of rational numbers follows the same rules of addition for integers.


Find the absolute values of the numbers.	
Subtract the absolute values	
The answer will take the sign of the number that has the greater absolute value.	

Exercise 4

Solve the following problems. Show your work.

a. Find the sum of -18 + 7.

b. If the temperature outside was 73 degrees at 5:00 p.m., but it fell 19 degrees by 10:00 p.m., what is the temperature at 10:00 p.m.? Write an equation and solve.



c. Write an addition sentence, and find the sum using the diagram below.


Summary



Lesson 4 - Independent Practice

- 1. Find the sum. Show your work to justify your answer.
 - a. 4+17
 - b. -6 + (-12)
 - c. 2.2 + (-3.7)
 - d. -3 + (-5) + 8
 - e. $\frac{1}{3} + \left(-2\frac{1}{4}\right)$
- 2. Which of these story problems describes the sum 19 + (-12)? Check all that apply. Show your work to justify your answer.
 - _____ Jared's dad paid him \$19 for raking the leaves from the yard on Wednesday. Jared spent \$12 at the movie theater on Friday. How much money does Jared have left?
 - ___ Jared owed his brother \$19 for raking the leaves while Jared was sick. Jared's dad gave him \$12 for doing his chores for the week. How much money does Jared have now?
 - ____ Jared's grandmother gave him \$19 for his birthday. He bought \$8 worth of candy and spent another \$4 on a new comic book. How much money does Jared have left over?


3. Use the diagram below to complete each part.



- a. Label each arrow with the number the arrow represents.
- b. How long is each arrow? What direction does each arrow point?

Arrow	Length	Direction
1		
2		
3		

- c. Write an equation that represents the sum of the numbers. Find the sum.
- 4. Jennifer and Katie were playing the Integer Game in class. Their hands are represented below.



- a. What is the value of each of their hands? Show your work to support your answer.
- b. If Jennifer drew two more cards, is it possible for the value of her hand not to change? Explain why or why not.
- c. If Katie wanted to win the game by getting a score of 0, what card would she need? Explain.
- d. If Jennifer drew a -1 and a -2, what would be her new score? Show your work to support your answer.

Lesson 5 - Understanding Subtraction of Integers and Other Rational Numbers

Essential Questions:

Example 1: Exploring Subtraction with the Integer Game

Play the Integer Game in your group. Start Round 1 by selecting four cards. Follow the steps for each round of play.


- 1. Write the value of your hand in the Total column.
- 2. Then, record what card values you select in the Action 1 column and discard from your hand in the Action 2 column.
- 3. After each action, calculate your new total, and record it under the appropriate Results column.
- 4. Based on the results, describe what happens to the value of your hand under the appropriate Descriptions column. For example, "Score increased by 3."

Round	Total	Action 1	Result 1	Description	Action 2	Result 2	Description
1							
2							
3							
4							
5							


How did selecting positive value cards change the value of your hand?	
How did selecting negative value cards change the value of your hand?	
How did discarding positive value cards change the value of your hand?	
How did discarding negative value cards change the value of your hand?	
What operation reflects selecting a card?	
What operation reflects discarding or removing a card?	
Based on the game, can you make a prediction about what happens to the result when • Subtracting a positive integer?	
• Subtracting a negative integer?	

Example 2: Subtracting a Positive Number

Follow along with your teacher to complete the diagrams below.



Show that discarding (subtracting) a positive card, which is the same as subtracting a positive number, decreases the value of the hand.




 Removing (_______) a positive card changes the score in the same way as


 ______a card whose value is the _______ (or opposite).

Example 3: Subtracting a Negative Number

Follow along with your teacher to complete the diagrams below.



How does removing a negative card change the score, or value, of the hand?




Removing (______) a negative card changes the score in the same way as

_____ a card whose value is the______ (or opposite).

Rule of Subtraction:

Exercises 1-3: Subtracting Positive and Negative Integers

1. Using the rule of subtraction, rewrite the following subtraction sentences as addition sentences and solve. Use the number line below if needed.



3. Write two equivalent expressions that represent the situation. What is the difference in their elevations?

"An airplane flies at an altitude of 25,000 feet. A submarine dives to a depth of 600 feet below sea level."


Summary




Lesson 5 - Independent Practice

1. On a number line, find the difference of each number and 4? Complete the table to support your answers. The first example is provided.

Number	Subtraction Expression	Addition Expression	Answer
10	10 - 4	10 + (-4) = 6	6
2			
-4			
-6			
1			




2. You and your partner were playing the Integer Game in class. Here are the cards in both hands.



- a. Find the value of each hand. Who would win based on the current scores? (The score closest to 0 wins.)
- b. Find the value of each hand if you discarded the -2 and selected a 5, and your partner discarded the -5 and selected a 5. Show your work to support your answer.
- c. Use your score values from part (b) to determine who would win the game now.
- 3. Write the following expressions as a single integer.
 - a. -2 + 16
 - b. -2 (-16)
 - c. 18 − 26
 - d. -14 23
 - e. 30 (-45)

4. Choose an integer between -1 and -5 on the number line, and label it point *P*. Locate and label the following points on the number line. Show your work.



- a. Point A: P 5
- b. Point *B*: (P 4) + 4
- c. **Point** *C*: -P (-7)

Challenge Problem:

5. Write two equivalent expressions that represent the situation. What is the difference in their elevations?

"An airplane flies at an altitude of 26,000 feet. A submarine dives to a depth of 700 feet below sea level."

Lesson 6 - The Distance Between Two Rational Numbers

Essential Questions:


Exercise 1

Use the number line to answer each of the following.

Person A	Person B
What is the distance between -4 and 5?	What is the distance between 5 and -4 ?
	← + + + + + + + + + + + + + + + + +
What is the distance between -5 and -3 ?	What is the distance between -3 and -5 ?
	← + + + + + + + + + + + + + + + + +
What is the distance between 7 and -1 ?	What is the distance between -1 and 7?

Use the number line to answer each of the following questions.

a. What is the distance between 0 and -8?



Example 1: Formula for the Distance Between Two Rational Numbers

Find the distance between -3 and 2.


Using a number line																			
Step 1: Start on an endpoint.Step 2: Count the number of units from the endpoint you started on to the other endpoint.	← -10	-9	-8 -7	-6	-5	-4	-3 -	-2 -	 1 0	1	2	3	4	5	6	7	8	9	↓ →
Using a formula																			
Rule:																			

Example 2: Change in Elevation vs. Distance

Distance is positive. Change in elevation or temperature may be positive or negative depending on whether it is increasing or decreasing (going up or down).


A hiker starts hiking at the beginning of a trail at a point which is 200 feet below sea level. He hikes to a location on the trail that is 580 feet above sea level and stops for lunch.





What is the vertical distance between 200 feet below sea level and 580 feet above sea level?	
How should we interpret 780 feet in the context of this problem?	
After lunch, the hiker hiked back down the trail from the point of elevation, which is 580 feet above sea level, to the beginning of the trail which is 200 feet below sea level. What is the vertical distance between 580 feet above sea level and 200 feet below sea level?	
What is the change in elevation?	

The distance between a negative number and a positive number is $12\frac{1}{2}$. What are the numbers?




Exercise 4

Use the distance formula to find each answer. Support your answer using a number line diagram.


a. Find the distance between -7 and -4.

b. Find the change in temperature if the temperature rises from -18° F to 15° F (use a vertical number line).



c. Would your answer for part (b) be different if the temperature dropped from 15° F to -18° F? Explain.

d. Beryl is the first person to finish a 5K race and is standing 15 feet beyond the finish line. Another runner, Jeremy, is currently trying to finish the race and has approximately 14 feet before he reaches the finish line. What is the minimum possible distance between Beryl and Jeremy?



e. What is the change in elevation from 140 feet above sea level to 40 feet below sea level? Explain.

Summary



Lesson 6 - Independent Practice

1. -19-12	2.	19 – (–12)
3. 10 - (-43)	4.	-10-43
5 . -1 - (-16)	6.	1 – 16
7. 0 - (-9)	8.	0 – 9

- **9**. |-14.5 13| **10**. |14.5 (-13)|
- 11. Describe any patterns you see in the answers to the problems in the left- and right-hand columns. Why do you think this pattern exists?

Lesson 7 - Addition and Subtraction of Rational Numbers

Essential Questions:

Exercise 1: Real-World Connection to Adding and Subtracting Rational Numbers

Suppose a 7th grader's birthday is today, and she is 12 years old. How old was she $3\frac{1}{2}$ years ago? Write an equation and use a number line to model your answer.



Example 1: Representing Sums of Rational Numbers on a Number Line


12 + ($-3\frac{1}{2}$)

- a. Place the tail of the arrow on 12.
- b. The length of the arrow is the absolute value of $-3\frac{1}{2}$, $\left|-3\frac{1}{2}\right| = 3\frac{1}{2}$.
- c. The direction of the arrow is to the *left* since you are adding a negative number to 12.

Draw the number line model in the space below.



Find the following sum using a number line diagram. $-2\frac{1}{2} + 5$.



Example 2: Representing Differences of Rational Numbers on a Number Line

- $1 2\frac{1}{4}$
- a. Rewrite the difference $1 2\frac{1}{4}$ as a sum: $1 + \left(-2\frac{1}{4}\right)$.


Now follow the steps to represent the sum:

- b. Place the tail of the arrow on 1.
- c. The length of the arrow is the absolute value of $-2\frac{1}{4}$; $\left|-2\frac{1}{4}\right| = 2\frac{1}{4}$.
- d. The direction of the arrow is to the *left* since you are adding a negative number to 1.

Draw the number line model in the space below.



Find the following difference, and represent it on a number line. $-5\frac{1}{2} - (-8)$.



Exercise 4

Find the following sums and differences using a number line model.

a.
$$-6 + 5\frac{1}{4}$$

b. $7 - (-0.9)$
c. $2.5 + (-\frac{1}{2})$
d. $-\frac{1}{4} + 4$
e. $\frac{1}{2} - (-3)$

Create an equation and number line diagram to model each answer.

a. Samantha owes her father \$7. She just got paid \$5.50 for babysitting. If she gives that money to her dad, how much will she still owe him?	
b. At the start of a trip, a car's gas tank contains 12 gallons of gasoline. During the trip, the car consumes $10\frac{1}{8}$ gallons of gasoline. How much gasoline is left in the tank?	
c. A fish was swimming $3\frac{1}{2}$ feet below the water's surface at 7:00 a.m. Four hours later, the fish was at a depth that is $5\frac{1}{4}$ feet below where it was at 7:00 a.m. What rational number represents the position of the fish with respect to the water's surface at 11:00 a.m.?	
Summary	



Lesson 7 - Independent Practice

Represent each of the following problems using both a number line diagram and an equation.

1. A bird that was perched atop a $15\frac{1}{2}$ -foot tree dives down six feet to a branch below. How far above the ground is the bird's new location?

- 2. Mariah had owed her grandfather \$2.25 but was recently able to pay him back \$1.50. How much does Mariah currently owe her grandfather?
- 3. Jake is hiking a trail that leads to the top of a canyon. The trail is 4.2 miles long, and Jake plans to stop for lunch after he completes 1.6 miles. How far from the top of the canyon will Jake be when he stops for lunch?
- 4. Sonji and her friend Rachel are competing in a running race. When Sonji is 0.4 miles from the finish line, she notices that her friend Rachel has fallen. If Sonji runs one tenth of a mile back to help her friend, how far will she be from the finish line?
- 5. Mr. Henderson did not realize his checking account had a balance of \$200 when he used his debit card for a \$317.25 purchase. What is his checking account balance after the purchase?
- 6. If the temperature is $-3^{\circ}F$ at 10:00 p.m., and the temperature falls four degrees overnight, what is the resulting temperature?

Lesson 8 – Applying the Properties of Operations to Add and Subtract Rational Numbers

Essential Questions:

Example 1: The Opposite of a Sum is the Sum of its Opposites


Explain the meaning of: "The opposite of a sum is the sum of its opposites." Use a specific math example.

Represent the following expression with a single rational number.

$$-2\frac{2}{5}+3\frac{1}{4}-\frac{3}{5}$$

Example 2: A Mixed Number is a Sum

Use the number line model shown below to explain and write the opposite of $2\frac{2}{5}$ as a sum of two rational numbers.



The opposite of a sum (top single arrow pointing left) and the sum of the opposites correspond to the same point on the number line.

Rewrite each mixed number as the sum of two signed numbers.

a. $-9\frac{5}{8}$ **b**. $-2\frac{1}{2}$ **c**. $8\frac{11}{12}$

Exercise 3

Represent each sum as a mixed number.

a.
$$-1 + \left(-\frac{5}{12}\right)$$
 b. $30 + \frac{1}{8}$ c. $-17 + \left(-\frac{1}{9}\right)$

Exercise 4

Mr. Mitchell lost 10 pounds over the summer by jogging each week. By winter time, he had gained $5\frac{1}{8}$ pounds. Represent this situation with an expression involving signed numbers. What is the overall change in Mr. Mitchell's weight?

Jamal is completing a math problem and represents the expression $-5\frac{5}{7}+8-3\frac{2}{7}$ with a single rational number as shown in the steps below. Justify each of Jamal's steps. Then, show another way to solve the problem.

$= -5\frac{5}{7} + 8 + \left(-3\frac{2}{7}\right)$	
$= -5\frac{5}{7} + \left(-3\frac{2}{7}\right) + 8$	
$= -5 + \left(-\frac{5}{7}\right) + (-3) + \left(-\frac{2}{7}\right) + 8$	
$= -5 + \left(-\frac{5}{7}\right) + \left(-\frac{2}{7}\right) + (-3) + 8$	
= -5 + (-1) + (-3) + 8	
= -6 + (-3) + 8	
= (-9) + 8	
= -1	

Summary



Lesson 8 - Independent Practice

- 1. Represent each sum as a single rational number.
 - a. $-14 + \left(-\frac{8}{9}\right)$ b. $7 + \frac{1}{9}$ c. $-3 + \left(-\frac{1}{6}\right)$

Rewrite each of the following to show that *the opposite of a sum is the sum of the opposites.* Problem 2 has been completed as an example.

2. -(9+8) = -9 + (-8)-17 = -173. $-(\frac{1}{4}+6)$

4.
$$-(10 + (-6))$$

5. $-((-55) + \frac{1}{2})$

Use your knowledge of rational numbers to answer the following questions.

6. Meghan said the opposite of the sum of -12 and 4 is 8. Do you agree? Why or why not?

7. Jolene lost her wallet at the mall. It had \$10 in it. When she got home her brother felt sorry for her and gave her \$5.75. Represent this situation with an expression involving rational numbers. What is the overall change in the amount of money Jolene has?

8. Isaiah is completing a math problem and is at the last step: $25 - 28\frac{1}{5}$. What is the answer? Show your work.

9. A number added to its opposite equals zero. What do you suppose is true about *a sum added to its opposite*?

Use the following examples to reach a conclusion. Express the answer to each example as a single rational number.

- a. (3+4) + (-3+-4)
- b. (-8+1) + (8+(-1))
- $\mathsf{C}.\quad \left(-\frac{1}{2} + \left(-\frac{1}{4}\right)\right) + \left(\frac{1}{2} + \frac{1}{4}\right)$

Lesson 9 – Applying the Properties of Operations to Add and Subtract Rational Numbers

Essential Questions:

Exercise 1

Unscramble the cards, and show the steps in the correct order to arrive at the solution to

$$5\frac{2}{9} - (8.1 + 5\frac{2}{9}).$$

$$\left(5\frac{2}{9} + \left(-5\frac{2}{9}\right)\right) + (-8.1)$$

$$5\frac{2}{9} + \left(-8.1 + \left(-5\frac{2}{9}\right)\right)$$

$$5\frac{2}{9} + \left(-5\frac{2}{9} + (-8.1)\right)$$

Examples 1-2

Represent each of the following expressions as one rational number. Show and explain your steps.

1. $4\frac{4}{7} - \left(4\frac{4}{7} - 10\right)$ 2. $5 + \left(-4\frac{4}{7}\right)$

Exercise 2: Team Work!

a.
$$-5.2 - (-3.1) + 5.2$$

b. $32 + \left(-12\frac{7}{8}\right)$

c.
$$3\frac{1}{6} + 20.3 - \left(-5\frac{5}{6}\right)$$
 d. $\frac{16}{20} - (-1.8) - \frac{4}{5}$

Explain step by step, how to arrive at a single rational number to represent the following expression. Show both a **written explanation** and the related **math work** for each step.

$$-24 - \left(-\frac{1}{2}\right) - 12.5$$

Math Work

Written Explanation

Summary



Lesson 9 - Independent Practice

Show all steps taken to rewrite each of the following as a single rational number.

1.
$$80 + \left(-22\frac{4}{15}\right)$$
 2. $10 + \left(-3\frac{3}{8}\right)$

3.
$$\frac{1}{5} + 20.3 - \left(-5\frac{3}{5}\right)$$
 4. $\frac{11}{12} - (-10) - \frac{5}{6}$

5. Explain, step by step, how to arrive at a single rational number to represent the following expression. Show both a written explanation and the related math work for each step.


$$1-\frac{3}{4}+\left(-12\,\frac{1}{4}\right)$$

Lesson 10 - Understanding Multiplication of Integers

Essential Questions:

Exercise 1: Integer Game Revisited

In groups of four, play one round of the Integer Game (see Integer Game outline for directions).



Use your cards from Part B to answer the questions below.

Write a product that describes the three matching cards.	
Write an expression that represents how each of the * cards changes your score	
Write an equation that relates these two expressions.	
Write an integer that represents the total change to your score by the three * cards.	
Write an equation that relates the product and how it affects your score.	

Part C:						
Part D:						
Use your cards from Part D to answe	er questic	ons below.	₹ T	XX	X	X
Write a product that describes the five matching cards.						
Write an expression that represents how each of the * cards changes your score.						
Write an equation that relates these two expressions.						
Write an integer that represents the total change to your score by the five * cards.						
Write an equation that relates the product and how it affects your score.						
Use the expression 5×4 to relate the multiplication of a positive valued card to addition.						
Use the expression $3 \times (-5)$ to relate the multiplication of a negative valued card to addition.						

Example 2: Product of a Negative Integer and a Positive Integer								
-5 4 4	4							
If all of the 4's from the playing hand above are discarded, how will the score be affected? Model this using a product in an equation.								
What three matching cards could be added to those pictured to get the same change in score? Model this using a product in an equation.								
Seeing how each play affects the score, relate the products that you used to model them. What do you conclude about multiplying integers with opposite signs?								


Example 3: Product of Two	Negative Integers	$ \begin{array}{c c} -2 & -2 & -2 \\ -3 & -2 & 1 \end{array} $
If the matching cards from the playing hand above are discarded, how will this hand's score be affected? Model this using a product in an equation.		
What four matching cards could be added to those pictured to get the same change in score? Model this using a product in an equation.		
Seeing how each play affects the score, relate the products that you used to model them. What do you conclude about multiplying integers with the same sign?		
Using the conclusions from Examples 2 and 3, what can we conclude about multiplying integers? Write a few examples.		

Summary



Lesson 10 - Independent Practice

- 1. Describe sets of two or more matching integer cards that satisfy the criteria in each part below:
 - a. Cards increase the score by eight points.
 - b. Cards decrease the score by 9 points.
 - c. Removing cards that increase the score by 10 points.
 - d. Positive cards that decrease the score by 18 points.
- You have the integer cards shown at the right when your teacher tells you to choose a card to multiply four times. If your goal is to get your score as close to zero as possible, which card would you choose? Explain how your choice changes your score.



3. Sherry is playing the Integer Game and is given a chance to discard a set of matching cards. Sherry determines that if she discards one set of cards her score will increase by 12. If she discards another set, then her score will decrease by eight. If her matching cards make up all six cards in her hand, what cards are in Sherry's hand? Are there any other possibilities?


Lesson 11 - Develop Rules for Multiplying Signed Numbers

Essential Questions:

describe what they represent.

Example 1: Extending Whole Number Multiplication to the Integers

Part A: Complete quadrants I and IV of the table below to show how sets of matching integer cards will affect a player's score in the Integer Game. For example, three 2's would increase a player's score by 0 + 2 + 2 + 2 = 6 points.



Part B: Complete quadrant II of the table.				
What relationships or patterns do you notice between the products (values) in quadrant <i>II</i> and the products (values) in quadrant <i>I</i> ?				
What relationships or patterns do you notice between the products (values) in quadrant <i>II</i> and the products (values) in quadrant <i>IV</i> ?				
Use what you know about the products (values) in quadrants I, II, and IV to describe what quadrant III will look like when its products (values) are entered.				
Part C: Complete the quadrant III of	f the table.			
In the integer game, what				

In the integer game, what happens to a player's score when he removes a matching set of cards with negative values from his hand?	
Refer to the completed table to help you answer the following questions:	
Is it possible to know the sign of a product of two integers just by knowing in which quadrant each integer is located? Explain.	
Which quadrants contain which values? Describe an integer game scenario represented in each quadrant.	

Exercise 1: Multiplication of Integers in the Real World

Generate real-world situations that can be modeled by each of the following multiplication problems. Use the Integer Game as a resource.



Summary:



1

Lesson 11 - Independent Practice

1. Complete the problems below. Then, answer the question that follows.						
	3 × 3 =	3 × 2 =	3 × 1 =	3 × 0 =	3 × (-1) =	3 × (-2) =
	2 × 3 =	2 × 2 =	2 × 1 =	$2 \times 0 =$	2 × (-1) =	2 × (-2) =
	1 × 3 =	1 × 2 =	1 × 1 =	$1 \times 0 =$	$1 \times (-1) =$	$1 \times (-2) =$
	0 × 3 =	0 × 2 =	0 × 1 =	$0 \times 0 =$	0 × (-1) =	0 × (- 2) =
	$-1 \times 3 =$	$-1 \times 2 =$	-1 × 1 =	$-1 \times 0 =$	$-1 \times (-1) =$	$-1 \times (-2) =$
	$-2 \times 3 =$	$-2 \times 2 =$	$-2 \times 1 =$	$-2 \times 0 =$	$-2 \times (-1) =$	$-2 \times (-2) =$
	$-3 \times 3 =$	$-3 \times 2 =$	$-3 \times 1 =$	$-3 \times 0 =$	$-3 \times (-1) =$	$-3 \times (-2) =$

Which row shows the same pattern as the outlined column? Are the problems similar or different? Explain.

- 2. Explain why $(-4) \times (-5) = 20$. Use patterns, an example from the Integer Game, or the properties of operations to support your reasoning.
- 3. Each time that Samantha rides the commuter train, she spends \$4 for her fare. Write an integer that represents the change in Samantha's money from riding the commuter train to and from work for 13 days. Explain your reasoning.
- 4. Write a real-world problem that can be modeled by $4 \times (-7)$.

Challenge:

5. Use properties to explain why for each integer a, $-a = -1 \times a$. (Hint: What does $(1 + (-1)) \times a$ a equal? What is the additive inverse of a?)

Lesson 12 - Division of Integers

Essential Questions:


Exercise 1: Recalling the Relationship Between Multiplication and Division

Record equations from Exercise 1 on the left.

Equations Integers

Example 1: Transitioning from Integer Multiplication Rules to Integer Division Rules

Record your group's number sentences in the space on the left below.



If the quotient is a positive number, what must be true about the signs of the dividend and divisor?	
Rules for Dividing Two Integers:	

Exercise 2: Is the Quotient of Two Integers Always an Integer?

Is the quotient of two integers always an integer? Use the work space below to create quotients of integers. Answer the question and use examples or a counterexample to support your claim.

Exercise 3: Different Representation of the Same Quotient

Are the answers to the three quotients below the same or different? Why or why not?

 $-14 \div 7$ $14 \div (-7)$ $-(14 \div 7)$



Lesson 12 - Independent Practice

1. Find the missing values in each column.

Column A	Column B	Column C	Column D
48 ÷ 4 =	24 ÷ 4 =	63 ÷ 7 =	21 ÷ 7 =
$-48 \div (-4) =$	$-24 \div (-4) =$	$-63 \div (-7) =$	$-21 \div (-7) =$
$-48 \div 4 =$	$-24 \div 4 =$	$-63 \div 7 =$	$-21 \div 7 =$
$48 \div (-4) =$	$24 \div (-4) =$	$63 \div (-7) =$	$21 \div (-7) =$

2. Describe the pattern you see in each column's answers in Problem 1, relating it to the problems' divisors and dividends. Why is this so?

3. Describe the pattern you see between the answers for Columns A and B in Problem 1(e.g., compare the first answer in Column A to the first answer in Column B; compare the second answer in Column A to the second answer in Column B). Why is this so?

4. Describe the pattern you see between the answers for Columns C and D in Problem 1. Why is this so?

Lesson 13 – Converting Between Fractions and Decimals Using Equivalent Fractions

Essential Questions:

Example 1: Representations of Rational Numbers in the Real World		
Describe why we need to know how to represent rational numbers in different ways.		

Example 2: Using Place Values to Write (Terminating) Decimals as Equivalent Fractions

What is the value of the number 2.25? How can this number be written as a fraction or mixed number?	
How do we rewrite fractions in simplest form?	
Rewrite the fraction in its simplest form showing all steps that you use.	
What is the value of the number 2.025? How can this number be written as a mixed number?	
Rewrite the fraction in its simplest form showing all steps that you use.	

Use place value to convert each terminating decimal to a fraction. Then rewrite each fraction in its simplest form.

simplest form.	
a. 0.218	
b. 0.16	
c. 2.72	
d. 0.0005	
Example 3: Converting Fraction Factors of only 2 or 5	ons to Decimals—Fractions with Denominators Having
What are <i>decimals</i> ?	
Use the meaning of <i>decimal</i> to relate decimal place values.	
Write the number $\frac{3}{100}$ as a decimal. Describe your process.	
Write the number $\frac{3}{20}$ as a decimal. Describe your process.	
Write the number $\frac{10}{25}$ as a decimal. Describe your process.	
Write the number $\frac{8}{40}$ as a decimal. Describe your process.	

Convert each fraction to a decimal using an equivalent fraction.

$\frac{3}{16} =$	
$\frac{7}{5} =$	
$\frac{11}{32} =$	
$\frac{35}{50} =$	



Lesson 13 - Independent Practice

1. Convert each terminating decimal to a fraction in its simplest form.

a. 0.4	b. 0.16	c. 0.625

d. 0.08 e. 0.012

2. Convert each fraction or mixed number to a decimal using an equivalent fraction.

a.	4 5	b.	3 40

c.
$$\frac{8}{20}$$
 d. $3\frac{5}{16}$

3. Tanja is converting a fraction into a decimal by finding an equivalent fraction that has a power of 10 in the denominator. Sara looks at the last step in Tanja's work (shown below) and says that she cannot go any further. Is Sara correct? If she is, explain why. If Sara is incorrect, complete the remaining steps.

$$\frac{72}{480} = \frac{2^3 \cdot 3^2}{2^5 \cdot 3 \cdot 5}$$

Lesson 14 – Converting Rational Numbers to Decimals Using Long Division

Essential Questions:

Example 1: Can All Rational Numbers Be Written as Decimals?



Using the division button on your calculator, explore various quotients of integers 1 through 11. Record your fraction representations and their corresponding decimal representations in the space below.

What two types of decimals do you see?

Example 2: Decimal Representations of Rational Numbers

In the chart below, organize the fractions and their corresponding decimal representation listed in Example 1 according to their type of decimal.

What do these fractions have in common?	What do these fractions have in common?

Example 3: Converting Rational Numbers to Decimals Using Long Division

Use the long division algorithm to find the decimal value of $-\frac{3}{4}$.

Exercise 1

Convert each rational number to its decimal form using long division.





Example 4: Converting Rational Numbers to Decimals Using Long Division

Use long division to find the decimal representation of $\frac{1}{3}$.

Exercise 2

Calculate the decimal values of the fraction below using long division. Express your answers using bars over the shortest sequence of repeating digits.





Example 5: Fractions Represent Terminating or Repeating Decimals

How do we determine whether the decimal representation of a quotient of two integers, with the divisor not equal to zero, will terminate or repeat?

Example 6: Using Rational Number Conversions in Problem Solving


Eric and four of his friends are taking a trip across Illinois. They decide to split the cost of tolls equally. If the total cost of tolls is \$8 how much will each person have to pay?

Just before leaving on the trip, two of Eric's friends have a family emergency and cannot go. What is each person's share of the \$8 tolls now?



Lesson 14 - Independent Practice

1. Convert each rational number into its decimal form.



One of these decimal representations is not like the others. Why?

Enrichment:

2. Chandler tells Aubrey that the decimal value of $-\frac{1}{17}$ is not a repeating decimal. Should Aubrey believe him? Explain.

3. Complete the quotients below without using a calculator and answer the questions that follow.

$\frac{1}{11} =$	$\frac{2}{11} =$	$\frac{3}{11} =$	$\frac{4}{11} =$	$\frac{5}{11} =$
$\frac{6}{11} =$	$\frac{7}{11} =$	$\frac{8}{11} =$	$\frac{9}{11} =$	$\frac{10}{11} =$

Do you see a pattern? Explain.

b. Convert each rational number in the table to its decimal equivalent.

a. Convert each rational number in the table to its decimal equivalent.

$\frac{0}{99} =$	$\frac{10}{99} =$	$\frac{20}{99} =$	$\frac{30}{99} =$	$\frac{45}{99} =$
$\frac{58}{99} =$	$\frac{62}{99} =$	$\frac{77}{99} =$	$\frac{81}{99} =$	$\frac{98}{99} =$

Do you see a pattern? Explain.

c. Can you find other rational numbers that follow similar patterns?

Lesson 15 – Multiplication and Division of Rational Numbers

Essential Questions:

Exercise 1		
In the space below, create a word problem that involves integer multiplication. Write an equation to model the situation.		
Now change the word problem by replacing the integers with non- integer rational numbers (fractions or decimals), and write the new equation.		
Was the process used to solve the second problem different from the process used to solve the first? Explain.		
The Rules for Multiplying Rational Numbers are the same as the Rules for Multiplying Integers:	1. 2.	
	3.	

Exercise 2	
In one year, Melinda's parents spend \$2,640.90 on cable and internet service. If they spend the same amount each month, what is the resulting monthly change in the family's income?	
The Rules for Dividing Rational Numbers are the same as the Rules for Dividing Integers:	1.
	2.
	3.

Use the fundraiser chart to help answer the questions that follow.

Customer	Plant Type	Number of Plants	Price per Plant	Total	Paid? Yes or No
Tamara Jones	Tulip	2	\$4.25		No
Mrs. Wolff	Daisy	1	\$3.75	\$ 3.75	Yes
Mr. Clark	Geranium	5	\$2.25		Yes
Susie (Jeremy's sister)	Violet	1	\$2.50	\$ 2.50	Yes
Nana and Pop (Jeremy's grandparents)	Daisy	4	\$3.75	\$15.00	No

Grimes Middle School Flower Fundraiser

Jeremy is selling plants for the school's fundraiser, and listed above is a chart from his fundraiser order form. Use the information in the chart to answer the following questions. Show your work and represent the answer as a rational number; then, explain your answer in the context of the situation.



- a. If Tamara Jones writes a check to pay for the plants, what is the resulting change in her checking account balance?
- b. Mr. Clark wants to pay for his order with a \$20 bill, but Jeremy does not have change. Jeremy tells Mr. Clark he will give him the change later. How will this affect the total amount of money Jeremy collects? Explain. What rational number represents the change that must be made to the money Jeremy collects?

c.	Jeremy's sister, Susie, borrowed the money from their mom to pay for her order. Their mother has agreed to deduct an equal amount of money from Susie's allowance each week for the next five weeks to repay the loan. What is the weekly change in Susie's allowance?	
d.	Jeremy's grandparents want to change their order. They want to order three daisies and one geranium, instead of four daisies. How does this change affect the amount of their order? Explain how you arrived at your answer.	
e.	Jeremy approaches three people who do not want to buy any plants; however, they wish to donate some money for the fundraiser when Jeremy delivers the plants one week later. If the people promise to donate a total of \$14.40, what will be the average cash donation?	
f.	Jeremy spends one week collecting orders. If 22 people purchase plants totaling \$270, what is the average amount of Jeremy's sale?	



Lesson 15 - Independent Practice

 At lunch time, Benjamin often borrows money from his friends to buy snacks in the school cafeteria. Benjamin borrowed \$0.75 from his friend Clyde five days last week to buy ice cream bars. Represent the amount Benjamin borrowed as the product of two rational numbers; then, determine how much Benjamin owed his friend last week.

2. Monica regularly records her favorite television show. Each episode of the show requires 3.5% of the total capacity of her video recorder. Her recorder currently has 62% of its total memory free. If Monica records all five episodes this week, how much space will be left on her video recorder?

For Problems 3-5, find at least two possible sets of values that will work for each problem.

3. Fill in the blanks with two rational numbers (other than 1 and -1).

$$- \times \left(-\frac{1}{2}\right) \times - = -20$$

What must be true about the relationship between the two numbers you chose?

4. Fill in the blanks with two rational numbers (other than 1 and -1).

 $-5.6 \times 100 \div 80 \times __ \times __ = 700$

What must be true about the relationship between the two numbers you chose?

5. Fill in the blanks with two rational numbers. $__ \times __ = -0.75$ What must be true about the relationship between the two numbers you chose?

For Problems 6-8, create word problems that can be represented by each expression, and then represent each product or quotient as a single rational number.

6. 8 × (-0.25)

7.
$$-6 \div \left(1\frac{1}{3}\right)$$

8. $-\frac{1}{2} \times 12$

Lesson 16 – Applying the Properties of Operations to Multiply and Divide Rational Numbers

Essential Questions:

Example 1: Using the Commutative and Associative Properties to Efficiently Multiply

Rational Numbers

How can we evaluate the expression below:

Evaluate the expression	
$-6 \times 2 \times (-2) \times (-5) \times (-3)$	
What types of strategies were	
used to evaluate the	
expressions?	
Can you identify the benefits of	
choosing one strategy versus another?	
What is the sign of the product	
and how was the sign determined?	

Find an efficient strategy to evaluate the expression and complete the necessary work.

 $-1 \times (-3) \times 10 \times (-2) \times 2$

Exercise 2

Find an efficient strategy to evaluate the expression and complete the necessary work.

$$4 \times \frac{1}{3} \times (-8) \times 9 \times \left(-\frac{1}{2}\right)$$

Exercise 3

What terms did you combine first and why?

Refer to the example and exercises. Do you see an easy way to determine the sign of the product first?

Example 2: Using the Distributive Property to Multiply Rational Numbers

Rewrite the mixed number as a sum; then, multiply using the distributive property.

$$-6 \times \left(5\frac{1}{3}\right)$$

Exercise 5

Multiply the expression using the distributive property.

$$9 \times \left(-3\frac{1}{2}\right)$$

Example 3: Using the Distributive Property to Multiply Rational Numbers


Evaluate using the distributive property.

$$16 \times \left(-\frac{3}{8}\right) + 16 \times \frac{1}{4}$$

Example 4: Using the Multiplicative Inverse to Rewrite Division as Multiplication

$$1 \div \frac{2}{3} \times (-8) \times 3 \div \left(-\frac{1}{2}\right)$$

Exercise 6





Lesson 16 - Independent Practice

- 1. Evaluate the expression $-2.2 \times (-2) \div \left(-\frac{1}{4}\right) \times 5$
 - a. Using the order of operations only.

b. Using the properties and methods used in Lesson 16.

c. If you were asked to evaluate another expression, which method would you use, (a) or (b), and why?

2. Evaluate the expressions using the distributive property.

$$\frac{2}{3}(-7) + \frac{2}{3}(-5)$$

$$\left(2\frac{1}{4}\right) \times (-8)$$

3. Mia evaluated the expression below but got an incorrect answer. Find Mia's error(s), find the correct value of the expression, and explain how Mia could have avoided her error(s).

$$0.38 \times 3 \div \left(-\frac{1}{20}\right) \times 5 \div (-8)$$
$$0.38 \times 5 \times \left(\frac{1}{20}\right) \times 3 \times (-8)$$
$$0.38 \times \left(\frac{1}{4}\right) \times 3 \times (-8)$$
$$0.38 \times \left(\frac{1}{4}\right) \times (-24)$$
$$0.38 \times (-6)$$
$$-2.28$$

Lesson 17 – Comparing Tape Diagram Solutions to Algebraic Solutions

Essential Questions:

Exploratory Challenge: Expenses on Your Family Vacation

John and Ag are summarizing some of the expenses of their family vacation for themselves and their three children, Louie, Missy, and Bonnie. Write an algebraic equation, create a model to determine how much each item will cost using all of the given information, and answer the questions that follow.



Expenses:

Car and insurance fees: \$400	Airfare and insurance fees: \$875	Motel and tax: \$400
Baseball game and hats: \$103.83	Movies for one day: \$75	Soda and pizza: \$37.95
	Sandals and t-shirts: \$120	

Your Group's Scenario Solution:

After collaborating with all of the groups, summarize the findings in the table below.

Cost of Evening Movie	
Cost of 1 Slice of Pizza	
Cost of the admission ticket to the baseball game	
Cost of 1 T-Shirt	
Cost of 1 Airplane Ticket	
Daily Cost for Car Rental	
Nightly Charge for Motel	

Using the results, determine the cost of the following:

The cost of a babysitting service on a cruise is \$10 for the first hour and \$12 for each additional hour. If the total cost of babysitting baby Aaron was \$58, how many hours was Aaron at the sitter?





Lesson 17 - Independent Practice

1. A taxi cab in Myrtle Beach charges \$2 per mile and \$1 for every person. If a taxi cab ride for two people costs \$12, how far did the taxi cab travel?

2. Heather works as a waitress at her family's restaurant. She works 2 hours every morning during the breakfast shift. She works an equal number of hours every evening during the dinner shift. In the last four days she worked 28 hours. How many hours did she work during each dinner shift?

3. Jillian exercises 5 times a week. She runs 3 miles each morning and bikes in the evening. If she exercises a total of 30 miles for the week, how many miles does she bike each evening?

4. Marc eats an egg sandwich for breakfast and a big burger for lunch every day. The egg sandwich has 250 calories. If Marc has 5,250 calories for breakfast and lunch for the week in total, how many calories are in one big burger?

5. Jackie won tickets playing the bowling game at the local arcade. The first time, she won 60 tickets. The second time she won a bonus, which was 4 times the number of tickets of the original second prize. All together she won 200 tickets. How many tickets was the original second prize?

Lesson 18 – Writing, Evaluating, and Finding Equivalent Expressions with Rational Numbers

Essential Questions:

Exercise 1

John's father asked him to compare several different cell phone plans and identify which plan will be the least expensive for the family. Use the information contained in the table below to answer the following questions.



Cell Phone Plans

Name of Plan	Monthly Fee (Includes 1,500 shared minutes)	Price per Phone Line x	Price per line for Unlimited Texting y	Price per line for Internet Access z
Company A	\$70	\$20	\$15	\$15
Company B	\$90	\$15	\$10	\$20
Company C	\$200	\$10	included in monthly fee	included in monthly fee

All members of the family may not want identical plans; therefore, we will let x represent the number of phone lines, y represent the number of phone lines with unlimited texting, and z represent the number of phone lines with internet access.

Company A _____

Company B _____

Company C _____

Using the expressions above,	Company A	Company B	Company C
find the cost to the family of each company's phone plan if:			
A. Four people want a phone line, four people want unlimited texting, and the family needs two internet lines.			
Which cell phone company should John's family use? Why?			
B. Four people want a phone line, four people want	Company A	Company B	Company C
unlimited texting, and all four people want internet lines.			
Which cell phone company should John's family use? Why?			
C. Two people want a phone line, two people want unlimited	Company A	Company B	Company C
texting, and the family needs two internet lines.			
Which cell phone company should John's family use? Why?		1	1

Three friends went to the movies. Each purchased a medium-sized popcorn for p dollars and a small soft drink for s dollars.



Write the expression that represents the total amount of money (in dollars) the three friends spent at the concession stand.	
If the concession stand charges \$6.50 for a medium-sized popcorn and \$4.00 for a small soft drink, how much did the three friends spend on their refreshments all together?	

Equivalent Expressions				
EXAMPLE: Evaluate x = 2, y = -1	$ \begin{array}{r} 4(x+2y) \\ 4(2+2(-1)) \\ 4(0) \\ 0 \end{array} $	$ \begin{array}{r} 4x + 8y \\ 4(2) + 8(-1) \\ 8 + (-8) \\ 0 \end{array} $	4x + 4y + 4y 4(2) + 4(-1) + 4(-1) 8 + (-4) + (-4) 0	
1. Evaluate y = 1	5(3 – 4 <i>y</i>)			
2. Evaluate x = 5, y = -2	-3x + 12y			
3. Evaluate $x = -\frac{1}{2},$ $y = 1$			-2x + 10x - 6y	



Lesson 18 - Independent Practice

1. Sally is paid a fixed amount of money to walk her neighbor's dog every day after school. When she is paid each month, she puts aside \$20 to spend and saves the remaining amount. Write an expression that represents the amount Sally will save in 6 months if she earns m dollars each month. If Sally is paid \$65 each month, how much will she save in 6 months?

- 2. A football team scored 3 touchdowns, 3 extra points, and 4 field goals.
 - a. Write an expression to represent the total points the football team scored.
 - b. Write another expression that is equivalent to the one written above.

c. If each touchdown is worth 6 points, each extra point is 1 point, and each field goal is 3 points, how many total points did the team score?

3. Write three other expressions that are equivalent to 8x - 12.

4. Profit is defined as earnings less expenses (earnings – expenses). At the local hot air balloon festival, the Ma & Pops Ice Cream Truck sells ice cream pops, which cost them \$0.75 each, but are sold for \$2 each. They also paid \$50 to the festival's organizers for a vendor permit. The table below shows the earnings, expenses, and profit earned when 50, 75, and 100 ice cream pops were sold at the festival.

Number of Pops Sold	Earnings	Expenses	Profit
50	50(2) = 100	50(0.75) + 5037.5 + 50 = 87.5	100 - 87.5 = 12.50
75	75(2) = 150	75(0.75) + 50 56.25 + 50 = 106.25	150 - 106.25 = 43.75
100	100(2) = 200	100(0.75) + 50 75 + 50 = 125	200 - 125 = 75

- a. Write an expression that represents the profit (in dollars) Ma & Pop earned by selling ice cream pops at the festival.
- b. Write an equivalent expression.
- c. How much did Ma & Pops Ice Cream Truck profit if it sold 20 ice cream pops? What does this mean? Explain why this might be the case?

d. How much did Ma & Pops Ice Cream truck profit if it sold 75 Ice Cream Pops? What does this mean? Explain why this might be the case?

Lesson 19 – Writing, Evaluating, and Finding Equivalent Expressions with Rational Numbers

Essential Questions:

Example 1: Tic-Tac-Toe Review

Fill in the 9 spaces with one expression from the list below. Use one expression per space. You will use 9 of the expressions:

12 - 4x			
8x + 4 - 12x			
$8\left(\frac{1}{2}x-2\right)$			
12 - 6x + 2x	******	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
-4x + 4			
x - 2 + 2x - 4			
4x - 12			
4(x - 4)			
3(x-2)			, , , , , , , , , , , , , , , , , , , ,
$0.1(40x) - \frac{1}{2}(24)$			

2

Example 2

Complete the table

Original Price (100%)	Discount Amount (20%) Off	New Price (Pay 80%)	Expression
100			
50			
28			
14.50			
x			



Example 3

An item that has an original price of x dollars is discounted 33%.

Write an expression that represents the amount of the discount.	
Write two equivalent expressions that represent the new, discounted price.	
Use one of your expressions to calculate the new, discounted price if the original price was \$56.	
How would the expressions you created in parts (a) and (b) have to change if the item's price had increased by 33% instead of decreased by 33%?	

Example 4

Original Price (100%)	Discount (20%) off	Amount Pay (pay 80%)	Expression	New Price	Sales Tax (8%)	Overall Cost	Expression
100	20	80	100 - 100(0.20) = 100(0.80)				
50	10	40	50 - 50(0.20) = 50(0.80)				
28	5.60	22.40	28 - 28(0.20) = 28(0.80)				
14.50	2.90	11.60	14.50 - 14.50(0.20) or 14.50(0.80)				
x	0.20 <i>x</i>	x - 0.20x	x - 0.20x or 0.80x				

Would it change the final price of the item if the sales clerk charged the sales tax first and then discounted the item? Why do you think this is the case?

Summary



Lesson 19 - Independent Practice

Solve the following problems. If necessary, round to the nearest penny.

- 1. A family of 12 went to the local Italian restaurant for dinner. Every family member ordered a drink and meal, 3 ordered an appetizer, and 6 people ordered cake for dessert.
 - a. Write an expression that can be used to figure out the cost of the bill. Include the definitions for the variables the server used.
 - b. The waitress wrote on her ordering pad the following expression: 3(4d + 4m + a + 2c). Was she correct? Explain why or why not.

- c. What is the cost of the bill if a drink costs \$3, a meal costs \$20, an appetizer costs \$5.50, and a slice of cake costs \$3.75?
- d. Suppose the family had a 10% discount coupon for the entire check and then left an 18% tip. What is the total?

2. Sally designs web pages for customers. She charges \$135.50 per web page; however, she must pay a monthly rental fee of \$650 for her office. Write an expression to determine her take-home pay after expenses. If Sally designed 5 web pages last month, what was her take-home pay after expenses?

- 3. While shopping, Megan and her friend Rylie find a pair of boots on sale for 25% off of the original price. Megan calculates the final cost of the boots by first deducting the 25%, and then adding the 6% sales tax. Rylie thinks Megan will pay less if she pays the 6% sales tax first and then takes the 25% discount.
 - a. Write an expression to represent each girl's scenario if the original price of the boots was x dollars.

b. Evaluate each expression if the boots originally cost \$200.

c. Who was right? Explain how you know.

d. Explain how both girls' expressions are equivalent.

Lesson 20 – Investments – Performing Operations with Rational Numbers

Essential Questions:

Mathematical Modeling Exercise: College Investments

Justin and Adrienne deposited \$20,000 into an investment account for 5 years. They hoped the money invested and the money made on their investment would amount to at least \$30,000 to help pay for their daughter's college tuition and expenses. The account they chose has several benefits and fees associated with it. Every 6 months, a summary statement is sent to Justin and Adrienne. The statement includes the amount of money either gained or lost. Below are semi-annual (twice a year) statements for a period of 5 years. In addition to the statements, the following information is needed to complete the task:

- Every statement, there is an administrative fee of \$15 to cover costs such as secretarial work, office supplies, postage, etc.
- If there is a withdrawal made, a broker's fee is deducted from the account. The amount of the broker's fee is 2% of the transaction amount.

TASK: Using the above information, semi-annual statements, register, and beginning balance, do the following:

- 1. Record the beginning balance and all transactions from the account statements into the register.
- 2. Determine the annual gain or loss as well as the overall 5-year gain/loss.
- 3. Determine if there is enough money in the account after 5 years to cover \$30,000 of college expenses for Justin and Adrienne's daughter. Write a summary to defend your answer. Be sure to indicate how much money is in excess, or the shortage that exists.
- 4. Answer the related questions that follow.

Eureka Math Module 2: Rational Numbers

College Investment Fund Semi- Annual Statement	College Investment Fund Semi- Annual Statement	College Investment Fund Semi- Annual Statement		
January 1, 2008 – June 30, 2008	July 1, 2008 – December 31, 2008	January 1, 2009 – June 30, 2009		
Investment Gain/(Loss) : 700.00	Investment Gain/(Loss): 754.38	Investment Gain/(Loss): (49.88)		
College Investment Fund Semi- Annual Statement	College Investment Fund Semi- Annual Statement	College Investment Fund Semi- Annual Statement		
July 1, 2009 – December 31, 2009	January 1, 2010 – June 30, 2010	July 1, 2010 – December 31, 2010		
Withdrawal: 500.00 Investment Gain/(Loss: (17.41)	Investment Gain/(Loss): 676.93	Investment Gain/(Loss): 759.45		
	College Investment Free d Sami			
College Investment Fund Semi- Annual Statement	College Investment Fund Semi- Annual Statement	College Investment Fund Semi- Annual Statement		
January 1, 2011 – June 30, 2011	July 1, 2011 – December 31, 2011	January 1, 2012 – June 30, 2012		
Deposit: 1,500.00		Deposit: 800.00		
Investment Gain/(Loss): 880.09	Investment Gain/(Loss) : 922.99	Investment Gain/(Loss): 942.33		

College Investment Fund Semi-Annual Statement

July 1, 2012 – December 31, 2012

Investment Gain/(Loss): 909.71

5. Register

SSION 000.00
000.00

Year	Total Gain/(Loss)	Numerical Expression
2008		
2009		
2010		
2011		
2012		
5-Year Gain/Loss		

6. Annual Gain/Loss Summary

7. Summary

8. Related Questions

- a. For the first half of 2009, there was a \$700 gain on the initial investment of \$20,000. Represent the gain as a percentage of the initial investment.
- b. Based on the gains and losses on their investment during this 5-year period, over what period of time was their investment not doing well? How do you know? What factors might contribute to this?

c. In math class, Jaheim and Frank were working on finding the total amount of the investment after 5 years. As a final step, Jaheim subtracted \$150 for administrative fees from the balance he arrived at after adding in all the deposits and subtracting out the one withdrawal and Broker's fee. For every semi-annual statement, Frank subtracted \$15 from the account balance for the administrative fee. Both boys arrived at the same ending five-year balance. How is this possible? Explain.

d. Based on the past statements for their investment account, predict what activity you might expect to see on Adrienne and Justin's January-June 2013 account statement. Then record it in the register to arrive at the balance as of June 30, 2013.

e. Using the answer from part (d), if their daughter's college bill is due in September of 2013, how much money do you estimate will be in their investment account at the end of August 2013 before the college bill is paid? Support your answer.

Exercise

Below is a transaction log of a business entertainment account. The transactions are completed and the ending balance in the account is \$525.55. Determine the beginning balance.

DATE	DESCRIPTION OF	PAYMENT	DEPOSIT	BALANCE
	Beginning Balance			
12/1/10	Bargain Electronic (I-Pod)	199.99		
12/5/10	Lenny's Drive-Up (Gift Certificate)	75.00		
12/7/10	Check from Customer: Reynolds		200.00	
12/15/10	Pasta House (Dinner)	285.00		
12/20/10	Refund from Clear's Play House		150.00	
12/22/10	Gaffney's Tree Nursery	65.48		525.55

Summary



Lesson 20 - Independent Practice

- You are planning a fundraiser for your student council. The fundraiser is a Glow in the Dark Dance. Solve each entry below and complete the transaction log to determine the ending balance in the student account.
 - a. The cost of admission to the dance is \$7 per person. Write an expression to represent the total amount of money collected for admission. Evaluate the expression if 250 people attended the dance.
 - b. The following expenses were necessary for the dance, and checks were written to each company.
 - DJ for the dance "Music Madness DJ" costs \$200
 - Glow Sticks for "Glow World Inc." for the first 100 entrants. Cost of glow sticks were \$0.75 each plus 8% sales tax.

Complete the transaction log below based on this information

DATE	DESCRIPTION OF TRANSACTION	PAYMENT	DEPOSIT	BALANCE
	Beginning Balance			1,243.56

c. Write a numerical expression to determine the cost of the glow sticks.

Analyze the results.

- d. Write an algebraic expression to represent the profit earned from the fundraiser. (Profit is the amount of money collected in admissions minus all expenses.)
- e. Evaluate the expression to determine the profit if 250 people attended the dance. Use the variable p to represent the number of people attending the dance (from part (a)).
- f. Using the transaction log above, what was the amount of the profit earned?

2. The register below shows a series of transactions made to an investment account. Vinnie and Anthony both completed the register in hopes of finding the beginning balance. As you can see, they do not get the same answer. Who was correct? What mistake did the other person make? What was the monthly gain or loss?

Original Register

DATE	DESCRIPTION OF TRANSACTION	PAYMENT	DEPOSIT	BALANCE
	Beginning Balance			
3/1/11	Broker's Fee	250.00		
3/10/11	Loan Withdrawal	895.22		
3/15/11	Refund - Misc. Fee		50.00	
3/31/11	Investment Results		2,012.22	18,917.00

Vinnie's Work

DATE	DESCRIPTION OF TRANSACTION	PAYMENT	DEPOSIT	BALANCE
	Beginning Balance			18,000.00
3/1/11	Broker's Fee	250.00		17,750.00
3/10/11	Loan Withdrawal	895.22		16,854.78
3/15/11	Refund - Misc. Fee		50.00	16,904.78
3/31/11	Investment Results		2,012.22	18,917.00

Anthony's Work

DATE	DESCRIPTION OF TRANSACTION	PAYMENT	DEPOSIT	BALANCE
	Beginning Balance			19,834.00
3/1/11	Broker's Fee	250.00		20,084.00
3/10/11	Loan Withdrawal	895.22		20,979.22
3/15/11	Refund - Misc. Fee		50.00	20,929.22
3/31/11	Investment Results		2,012.22	18,917.00


Lesson 21 – If-Then Moves with Integer Number Cards

Essential Questions:

Exploratory Challenge: Integer Game Revisited

Let's investigate what happens if a card is added or removed from a hand of integers.







My score:




Event 1





Conclusion:



Event 4

Expression:

Conclusion:

Exercises

The table below shows two hands from the Integer Game and a series of changes that occurred to each hand. Part of the table is completed for you. Complete the remaining part of the table, then summarize the results.

	Hand 1	Result	Hand 2	Result
Original	1 + (-4) + 2		0 + 5 + (-6)	
Add 4	1 + (-4) + 2 + 4			
Subtract 1	1 + (-4) + 2 + 4 - 1			
Multiply by 3				
Divide by 2				

Exercise

Complete the table below using the multiplication property of equality.

	Original expression and result	Equivalent expression and result
	3 + (-5) =	
Multiply both expressions by -3		
Write a conclusion using if- then		

Summary



Lesson 21 - Independent Practice

Evaluate the following numerical expressions

- a. 2 + (-3) + 7 b. -4 1
- c. $-\frac{5}{2} \times 2$ d. $-10 \div 2 + 3$
- e. $\left(\frac{1}{2}\right)(8) + 2$ f. 3 + (-4) 1
- 2. Which expressions from Exercise 1 are equal?

3. If two of the equivalent expressions from Exercise 1 are divided by 3, write an if-then statement using the properties of equality.

4. Write an if-then statement if -3 is multiplied to the following equation: -1 - 3 = -4.

5. Simplify the expression.

5 + 6 - 5 + 4 + 7 - 3 + 6 - 3

Using the expression, write an equation.

Rewrite the equation if 5 is added to both expressions.

Write an if-then statement using the properties of equality.

Lesson 22 - Solving Equations Using Algebra

Essential Questions:

Example 1: Yoshiro's New Puppy

Yoshiro has a new puppy. She decides to create an enclosure for her puppy in her back yard. The enclosure is in the shape of a hexagon (six-sided polygon) with one pair of opposite sides running the same distance along the length of two parallel flowerbeds. There are two boundaries at one end of the flowerbeds that are 10 ft. and 12 ft., respectively, and at the other end, the two boundaries are 15 ft. and 20 ft., respectively. If the perimeter of the enclosure is 137 ft., what is the length of each side that runs along the flowerbed?



Example 2: Swim Practice

Jenny is on the local swim team for the summer and has swim practice four days per week. The schedule is the same each day. The team swims in the morning and then again for 2 hours in the evening. If she swims 12 hours per week, how long does she swim each morning?



Exercises

Solve each equation algebraically using if-then statements to justify each step.

5x + 4 = 19		
15x + 14 = 19		
Claire's mom found a very good price		
on a large computer monitor. She paid \$325 for a monitor that was only		
\$65 more than half the original price.		
What was the original price?		

2(x+4) = 18	
Ben's family left for vacation after his Dad came home from work on Friday. The entire trip was 600 mi. Dad was very tired after working a long day and decided to stop and spend the night in a hotel after 4 hours of driving. The next morning, Dad drove the remainder of the trip. If the average speed of the car was 60 miles per hour, what was the remaining time left to drive on the second part of the trip? Remember: Distance = rate multiplied by time.	



Lesson 22 - Independent Practice

For each problem below, explain the steps in finding the value of the variable. Then find the value of the variable, showing each step. Write if-then statements to justify each step in solving the equation.

1. 7(m+5) = 21

2. -2v + 9 = 25

3.
$$\frac{1}{3}y - 18 = 2$$

4. -8p + 6 = 38

5. 15 = 5k - 13

Lesson 23 - Solving Equations Using Algebra

Essential Questions:

Exercises

Youth Group Trip


The youth group is going on a trip to an amusement park in another part of the state. The trip costs each group member \$150, which includes \$85 for the hotel and two one-day combination entrance and meal plan passes.



-	
Write an equation representing the cost of the trip. Let <i>P</i> be the cost of the park pass.	
Solve the equation algebraically to find the cost of the park pass. Then write the reason that justifies each step using if-then statements.	
Model the problem using a tape diagram to check your work.	

Suppose you want to buy your favorite ice cream bar while at the amusement park and it costs \$2.89. If you purchase the ice cream bar and 3 bottles of water, and pay with a \$10 bill and receive no change, then how much did each bottle of water cost?

Write an equation to model this



situation	
Solve the equation to determine the cost of one water bottle. Then, write the reason that justifies each step using if-then statements.	
Model the problem using a tape diagram to check your work.	

Weekly Allowance

Charlotte receives a weekly allowance from her parents. She spent half of this week's allowance at the movies, but earned an additional \$4 for performing extra chores. If she did not spend any additional money and finished the week with \$12, what is Charlotte's weekly allowance?



•	
Write an equation that can be used to find the original amount of Charlotte's weekly allowance. Let A be the value of Charlotte's original weekly allowance.	
Solve the equation to find the original amount of allowance. Then, write the reason that justifies each step using if- then statements.	
Explain your answer in the context of this problem.	

Charlotte's goal is to save \$100 for her beach trip at the end of the summer. Use the amount of weekly allowance you found above to write an equation to determine the number of weeks that Charlotte must work to meet her goal. Let w represent the number of weeks.	
In looking at your answer above, and based on the story above, do you think it will take Charlotte that many weeks to meet her goal? Why or Why not?	

Travel Baseball Team

Allen is very excited about joining a travel baseball team for the fall season. He wants to determine how much money he should save to pay for the expenses related to this new team. Players are required to pay for uniforms, travel expenses, and meals.



····/·································	,	Completeness / Base Reserves /
If Allen buys 4 uniform shirts at one time, he gets a \$10.00 discount so that the total cost of 4 shirts would be \$44. Write an algebraic equation that represents the regular price of one shirt. Solve the equation. Write the reason that justifies each step using if-then statements. What is the cost of one shirt without the discount?		
What is the cost of one shirt with the discount?		
How much more do you pay per shirt if you buy them one at a time (rather than in bulk)?		

caps, which total \$68. A pair of pants costs \$12 more than a baseball cap.	42
Write an equation that models this situation. Let <i>c</i> represent the cost of a baseball cap.	
Solve the equation algebraically to find the cost of a baseball cap. Write the reason that justifies each step using if-then statements.	
Model the problem using a tape diagram in order to check your work	
What is the cost of one cap?	
What is the cost of one pair of pants?	

Allen's team was also required to buy two pairs of uniform pants and two baseball

Summary:



Lesson 23 - Independent Practice

For Exercises 1-4, solve each equation algebraically using if-then statements to justify your steps.

1.
$$\frac{2}{3}x - 4 = 20$$

2.
$$4 = \frac{-1+x}{2}$$

3. 12(x+9) = -108

4. 5x + 14 = -7

For Exercises 5-7, write an equation to represent each word problem. Solve the equation showing the steps and then state the value of the variable in the context of the situation.

5. A plumber has a very long piece of pipe that is used to run city water parallel to a major roadway. The pipe is cut into two sections. One section of pipe is 12 ft. shorter than the other. If $\frac{3}{4}$ of the length of the shorter pipe is 120 ft., how long is the longer piece of the pipe?

6. Bob's monthly phone bill is made up of a \$10 fee plus 0.05 per minute. Bob's phone bill for July was \$22. Write an equation to model the situation, using m to represent the number of minutes. Solve the equation to determine the number of phone minutes Bob used in July.

7. Kym switched cell phone plans. She signed up for a new plan that will save her \$3.50 per month compared to her old cell phone plan. The cost of the new phone plan for an entire year is \$294. How much did Kym pay per month under her old phone plan?